





ZFORCE SERIES

500 TRAIL / 800 TRAIL / 800 EX / 950 SPORT

8-13

UFORCE SERIES

500 / 800 / 1000

14-19

CFORCE SERIES

400 **S** / 500 **S** / 600 / 600 TOURING / 800 **XC**

WHO IS CFMOTO?

30 YEARS OF EXCEEDING THE HIGHEST STANDARDS...YOURS.

Back in 1989, we set out on an ambitious
journey. To become a major supplier of
engines, parts and components for the
growing off-road vehicle industry. As time
went on our vision expanded to create
more affordable off-road options without
sacrificing engineering prowess, quality or
features. Now our vision has become reality.

CFMOTO is a global force, manufacturing
and distributing a variety of powersports
equipment in over 80 countries.







A GLOBAL COMPANY WITH NO BOUNDARIES.

Our factory in Hangzhou, China encompasses 1.6 million square feet. This year, we will build hundreds of thousands of units and deliver them worldwide. By building on a global scale, we can bring products to market at affordable prices. In the U.S., our distribution center in Kansas City, Missouri is centrally located to deliver machines around the country. Our U.S. headquarters in Minneapolis, Minnesota handles sales, marketing, service and warranty, and includes a 50,000-square-foot warehouse to handle parts.

GLOBAL HEADQUARTERS HANGZHOU, CHINA

Research & Development
ORV Assembly
Machining
Engine Assembly
Painting
Frame Plant
Robotic Frame Welding
Logistics
Smart Manufacturing

U.S. HEADQUARTERS MINNEAPOLIS, MN

Sales Service/Warranty Parts Marketing

GO AHEAD AND COMPARE, BUT THERE REALLY IS NO COMPARISON.



CFORCE 600

SPORTSMAN 570

Check the specs. When you compare CFMOTO to the other guys, feature-to-feature and price-to-price, CFMOTO comes out on top. Take, for example, our new CFORCE 600. With its next-generation chassis and styling, it's built to take on nasty trails and rugged terrain. But you'll also see it handles the competition quite well. Why? Because our machines come with all the features you want at a far better price. Just look closely because they tend to list their base model price, without any of the added features you need. So, if you want a winch, you pay extra. Who wants to ride a machine in the backcountry without a winch? Don't fall for the "base price" tactic and don't compromise on price or features. Get what you want with a CFMOTO.



CFMOTO° CFORCE° 600

CAN-AM® OUTLANDER® 570

POLARIS® SPORTSMAN® 570

Base model price: \$6,099

All features come standard:

\$6,099

POWER & DRIVETRAIN

ENGINE DISPLACEMENT

HORSEPOWER

FUEL SYSTEM

TRANSMISSION

DRIVE

Γ

Bosch® EFI

580 cc

40 HP

CVTech® Automatic P/R/N/H/L

E 2WD/4WD/Front differential lock

81.1" x 46.4" x 48"

50.3"

10.6"

870 lbs.

1000 lbs.

75/150 lbs.

YES

YES

YES

YES

YES

YES YES

YES

YES

YES

YES

YES

Front/Rear: Hydraulic disc
Front: Double A-arm independent

Rear: Double A-arm independent

Spring pre-load adjustable, oil damped

DIMENSIONS

LXWXH

WHEEL BASE

WITELL DI

GROUND CLEARANCE

CURB WEIGHT

TOWING CAPACITY

RACK CAPACITY (FRONT/REAR)

FEATURES

BRAKING

SUSPENSION

SHOCKS

ALUMINUM RIMS

ELECTRONIC POWER STEERING

3000 LB. WINCH

DIGITAL GAUGE

LED HEADLIGHTS AND TAILLIGHTS

FRONT/REAR BUMPERS

HAND GUARDS

2" RECEIVER AND HITCH

AUTOMOTIVE-STYLE PAINT

USB PORT

STORAGE COMPARTMENT

HORN

ENGINE BRAKING

Base model price:

\$6,899

With comparable features:

\$9,099

570 cc

48 HP

Electronic Fuel Injection

Automatic CVT, P / R / N / H / L

2WD/4WD/Front differential lock

83" x 46" x 49"

51"

10.5"

704 lbs. (dry weight)

1300 lbs.

120/240 lbs.

Front/Rear: Hydraulic disc

Front: Double A-arm independent

Rear: Trailing arm independent

Oil damped

NO

NO

NO

YES

NO

NO

NO

N/A

NO

NO

YES

NO

YES

Base model price:

\$6,899

With comparable features:

\$10,110

567 cc

44 HP

Electronic Fuel Injection

Automatic PVT P/R/N/L/H

On-Demand AWD/2WD

83" x 48" x 48"

50.5"

11"

704 lbs. (dry weight)

1225 lbs.

90/180 lbs.

Front/Rear: Hydraulic disc

Front: MacPherson strut

Rear: Dual A-Arm independent

Not presented in specs

NO

NO NO

YES

NO

NO

NO

1.25" receiver, no hitch

•

NO

NO

YES

NO

NO

7







950 **SPORT** 800 **EX**

With an extra-wide 60" stance, ZFORCE Sport models provide a wider tracking stance to confidently handle everything from hairpin curves to extremely rugged off-road terrain.



RIDEVISION LED array reflector style sets you apart. 80% brighter than halogen, these headlights really light up the trails at night. PERFORMANCE STANCE

TRAILING ARM REAR SUSPENSION

Massive adjustable gas shocks work in tandem with multi-link trailing arms to take on whoops, ruts and dunes. An adjustable toe-in/toe-out feature lets you really dial in your ride.



The TFT (thin film technology) color display shows several engine vitals at the touch of a finger, and also has a Bluetooth call indicator.

SPORT MODE

When you want to get more performance and power, switch to sport mode and watch the dirt fly (950 only).

CUSTOM SEATS

High-style, high-quality, sculpted seats ensure optimum seating position and all-day comfort.

HALF DOORS

This stylish feature comes standard and is a must-have on rugged trails.



HARD TOP PLASTIC ROOF
Protection from the elements.


Protection from the elements. Standard on all ZFORCE models.

3,500 POUND WINCH

Comes standard on the ZFORCE 950. Winch features convenient remote control operation.

ALUMINUM ALLOY WHEELS PLUS CST PERFORMANCE TIRES

Lightweight aluminum machined polished rims are wrapped by durable performance tires.



500 TRAIL 800 TRAIL



SHOCKS

Trail models get compression/ rebound adjustable shocks front, and rebound adjustable in the rear.

ROOF


Protection from the elements. Standard on all ZFORCE models.

CUSTOM SEWN SEATS

High-style, high-quality, sculpted seats ensure optimum seating position and all-day comfort for you and your passenger.

HALF DOORS

Appreciated on the rugged trail—a standard feature on the 800 Trail.



These durable side-view mirrors give you a better line of sight, providing more control in your environment.

3,000 POUND WINCH

Comes standard on ZFORCE Trail and EX models. Winch features convenient remote-control operation.

CARGO NET

The reinforced nylon webbing net secures bulky items in your vehicle's cargo area.

TRAIL STANCE







60" wide with a 963cc V-twin cylinder EFI engine, QuadLink™ trailing arm rear suspension, and 2WD/4WD/Front differential lock.



 $60\ensuremath{^{\circ}}$ wide with an $800\ensuremath{^{\circ}}$ V-twin cylinder EFI engine, $2\ensuremath{^{\circ}}$ 2WD/4WD/Front differential lock and half doors.





50" wide with an 800cc V-twin cylinder EFI engine, 2WD/4WD/Front differential lock and half doors.



50" wide with a 495cc single cylinder EFI engine, 2WD/4WD/Front differential lock, plus side door nets.

ZFORCE[®]







V-Twin cylinder, liquid cooled,

4-stroke, SOHC, 8-valve



V-Twin cylinder, liquid cooled,

4-stroke, SOHC, 8-valve

79 HP @ 7000 RPM

118" x 61" X 71"

90"

12 2"

1400 lbs.

Hvdraulic disc

Front: Double A-arm independent

compression/rebound adjustable

compression/rebound adjustable

Front: High pressure gas,

Rear: High pressure gas.

14" Cast aluminum alloy

Rear: QuadLink™ trailing arm independent

963 cc

1000 V-TWIN 8-VALVE, SOHC, EFI 79 HP, liquid cooled, twin cylinder, 8-valve featuring Bosch®





800 V-TWIN
8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and CVTech clutching.



500 HO
4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutching.

POWER & DRIVETRAIN

ENGINE TYPE
DISPLACEMENT
MAX POWER

MAX TORQUE FUEL SYSTEM TRANSMISSION DRIVE

DIMENSIONS

GROUND CLEARANCE

 $L \times W \times H$

5	0	0	Т	R	A	ı	L

113" x 50" X 70"

80"

11.2"

1228 lbs.

Hydraulic disc

Double A-arm independent

Front: High pressure gas,

Rear: High pressure gas,

rebound adjustable

Orange, Peal White

compression/rebound adjustable

Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve
495 cc
38 HP @ 6800 RPM
32 ft. lbs. @ 5800 RPM
Bosch® EFI
CVTech Automatic P/R/N/H/L

800 TRAIL	
V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve	

4-stroke, SOHC, 8-valve	
800cc	
62 HP @ 6700 RPM	
53 ft. lbs. @ 6000 RPM	
Delphi® EFI	
CVTech Automatic P/R/N/H/L	

800cc
62 HP @ 6700 RPM
53 ft. lbs. @ 6000 RPM
Delphi® EFI
CVTech Automatic P/R/N/H/L

2WD/4WD/Front differential lock

60 ft. lbs. @ 6200 RPM

Bosch® EFI

CVTech Automatic P/R/N/H/L

2WD/4WD/Front differential lock

2WD/4WD/Front differential lock 2WD/4WD/Front differential lock

113" x 60" X 7

80"
11.8"
1230 lbs.

CURB WEIGHT

WHEEL BASE

_	-	_	_	-	-	_	_
	\Box	ח	ι Λ	v	ч	Ы	\sim

W	Ή	Ε	Ε	LS	

COLORS

ADDITIONAL FEATURES

14" Cast aluminum alloy

Electronic power steering, 3000 lb. winch, digital gauge, mirrors, LED headlight accents, roof, rear cargo net, tilt steering with steering wheel lock, side door nets, 2" receiver and hitch, horn

Hydraulic disc

113" x 50" X 70"

80"

11.2"

1228 lbs.

Double A-arm independent

Front: High pressure gas, compression/rebound adjustable

Rear: High pressure gas, rebound adjustable

14" Cast aluminum alloy

Electronic power steering, 3000 lb. winch, LED headlight accents, digital gauge, mirrors, rear cargo net, roof, tilt steering with steering wheel lock, half doors, 2" receiver and hitch, horn

Orange, Titanium Grey, Athens Blue

Double A-arm independent

Front: High pressure gas,
compression/rebound adjustable
Rear: High pressure gas.

Hvdraulic disc

Rear: High pressure gas, compression/rebound adjustable

14" Cast aluminum alloy

Orange, Titanium Grey, Athens Blue

Electronic power steering, 3000 lb. winch, LED headlight accents, digital gauge, mirrors, rear cargo net, roof, tilt steering with steering wheel lock, half doors, 2" receiver and hitch, horn

Electronic power steering, 3500 lb. winch, Pulse™ digital gauge, Ridevision™ LED headlights/taillights, roof, tilt steering with steering wheel lock, half doors, horn

Mercury Silver/Orange, Ghost Grey/Teal







1000

For the ultimate capacity in a utility side by side, look no further than the UFORCE 1000. No job is too big for this machine with more hauling power thanks to the 1000 V-twin EFI engine. Add to that a larger volume rear cargo box, more interior storage and a 3-person bench seat and you're ready to get to work.





HANDY TIE DOWNS Come standard on the cargo box.

Shown with optional accessories

TILTING CARGO BOX

Unload easily with nitrogen gas-assisted dump box.

> 27" CST PERFORMANCE TIRES Excellent traction in every terrain.

CARGO CAPACITY 1000_{LBS}. STEERING 11.4" GROUND CLEARANCE.

ROOF Comes standard on the 1000.

ELECTRONIC POWER

PROJECTOR BEAM **HEADLIGHTS WITH** LED ACCENTS

Bright white LED projector headlights accented with stylish LED strips.

SIDE NETS

Keep brush and debris where it belongs, out of the cab.

3-Person **Bench Seat**

A center console with integrated cup holders folds up, creating a bench seat with room for three adult passengers. Under the seat, you'll find ample storage space with a handy pull out tool box to help organize your gear.



Standard feature on the

500 and 800 models.

Monitor twelve engine

vitals at a glance.


ALUMINUM RIMS





963cc V-twin cylinder EFI engine, 1,000 lb. capacity rear cargo box, 3-person bench seat, 3,500 lb. winch with wireless remote.







UFORCE® /







1000 V-TWIN 8-VALVE, SOHC, EFI 79 HP,

liquid cooled, twin cy 8-valve featuring Bos Electronic Fuel Inject and CVTech dry clutc	sch® ion
. E.	

800 V-TWIN 8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and CVTech clutching.

500 HO 4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutching.

POWER & DRIVETRAIN

ENGINE TYPE
DISPLACEMENT
MAX POWER
MAX TORQUE
FUEL SYSTEM
TRANSMISSION

DRIVE

	E
	0
500	800

Single cytinder, tiquid cooled, 4-stroke, SOHC, 4-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve V-Twin cylinder, liquid coole 4-stroke, SOHC, 8-valve	
495 cc	800cc	963 cc
38 HP @ 6800 RPM	62 HP @ 6700 RPM	79 HP @ 7000 RPM
32 ft. lbs. @ 5800 RPM	53 ft. lbs. @ 6000 RPM	60 ft. lbs. @ 6200 RPM
Bosch® EFI	Delphi® EFI	Bosch® EFI
CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L
2WD/4WD/Front differential lock	2WD/4WD/Front differential lock	2WD/4WD/Front differential lock

DIMENSIONS

$L \times W \times F$
WHEEL BASE
GROUND CLEARANCE
CURB WEIGHT
REAR CARGO CAPACITY

ADDITIONAL FEATURES

117" x 57.6" x 73"	117" x 57.6" x 73"	117" x 63.5" x 72.8"
72"	72	80.7"
10.2"	10.2"	11.4"
1347 lbs.	1377 lbs.	1520 lbs.
600 lbs.	600 lbs.	1000 lbs.

FEATURES

BRAKING	
SUSPENSION	
SHOCKS	
WHEELS	

Hydraulic disc

Double A-arm independent

Pre-load adjustable, oil damped	Pre-load adjustable, oil damped
14" Cast aluminum alloy	14" Cast aluminum alloy
Electronic power steering, 3000 lb. winch with wireless remote, digital gauge, mirrors, LED headlight accents, tilt steering with steering wheel lock, 2" receiver and hitch, horn	Electronic power steering, 3500 lb. winch with wireless remote, digital gauge, mirrors, LED headlight accents, tilt steering with steering wheel lock, engine braking, 2" receiver and hitch, horn

Hydraulic disc

Double A-arm independent

Electronic power steering, electronic throttle, 3500 lb. winch with wireless remote, 3-person bench seat, digital gauge, mirrors, LED headlights/taillights, tilt steering with steering wheel lock, roof, large 10.5 gal. fuel tank, 2" receiver and hitch, adjustable driver's seat, removable storage box, horn

Hydraulic disc

Double A-arm independent Pre-load adjustable, oil damped 14" Cast aluminum alloy

COLORS

Royal Blue, Titanium Grey, True Timber Camo Orange, Titanium Grey, True Timber Camo Athens Blue, Matte Titanium Grey, True Timber Camo







800 XC

If you want the latest technology for the trail, the CFORCE 800 XC is your machine. Bragging rights include a trailing arm rear suspension and premium brakes for great trail and off-road performance. You'll also enjoy sculpted 2-up seating, and even a USB port to keep those devices charged.

Hand Guards Plastic reinforced for maximum protection.

SCULPTED TWO-UP SEATING

Superior support and optimized seating position for all-day riding comfort. Utilizes robust materials and high-quality stitching for long-lasting durability.

ALUMINUM ALLOY WHEELS

Lightweight aluminum rims are machined and polished for an eye-catching finish.

ELECTRONIC POWER STEERING

Variable assist electronic power steering gives you optimal steering feedback in all conditions.

PROJECTOR BEAM HEADLIGHTS WITH LED ACCENTS

Equipped with bright white projector beam headlights with LED accents.

3,000 POUND WINCH

With a handlebar-mounted control switch.

Rear Trailing Arm Suspension

Tackle rugged terrain and navigate tight, twisting trails with maximum comfort and confidence (only on the 800 XC).

Composite-Over-Steel Front and Rear Racks

Bring all your accessories and gear. These rugged racks (800 XC) feature a composite-over-steel design for added durability and ease of attachment.



USB PORTPower up on the go.

STORAGE COMPARTMENT
Ample storage space with easy access to all your personal items.

TWO-UP SEATING (600 Touring only) Superior support and optimized seating position for all-day riding comfort.

ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished. [Not available on 400].

NEW LED HEADLIGHTS AND TAILLIGHTS ON 600

3,000 POUND WINCHWith a handlebar-mounted switch. [2500 lb. on 500 S].





800cc V-twin cylinder EFI engine, front and rear composite-over-steel racks, 2-up seating, rear trailing arm suspension, 3,000 lb. winch.



580cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.



CFORCE® 600



580cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.



495cc single cylinder EFI engine, front and rear steel racks, aluminum rims, 2,500 lb. winch, electronic power steering.



398cc single cylinder EFI engine, front and rear steel racks, steel rims, digital gauge.

C FORCE®











POWER & DRIVETRAI	
	NI
	IVI

ENGINE TYPE

DISPLACEMENT MAX POWER

MAX TORQUE

FUEL SYSTEM

TRANSMISSION

DRIVE

400 S	500 S	600	600 TOURING	800 XC
Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin cylinder, liquid cooled, 4-stroke, SOHC, 8-valve			
398cc	495cc	580cc	580cc	800cc
31 HP @ 7200 RPM	38 HP @ 6800 RPM	40 HP @ 6750 RPM	40 HP @ 6750 RPM	62 HP @ 6700 RPM
24 ft. lbs. @ 6000 RPM	32 ft. lbs. @ 5800 RPM	36 ft. lbs. @ 5250 RPM	36 ft. lbs. @ 5250 RPM	53 ft. lbs. @ 6000 RPM
Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Delphi® EFI
CVTech Automatic P/R/N/H/L				
2WD/4WD/Front differential lock				



800 V-TWIN 8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and CVTech clutching.

DIMENSIONS

 $L \times W \times H$ WHEEL BASE GROUND CLEARANCE **CURB WEIGHT**

82.6" x 43.3" x 45.3"	82.6" x 43.3" x 45.3"	81.1" x 46.4" x 48"	88.9" x 46.4" x 53.1"	90.5" x 48" x 56.7"
50.7"	50.7"	50.3"	58.2"	58"
10.8"	10.8"	10.6"	10.6"	11"
742 lbs.	758 lbs.	870 lbs.	915 lbs.	970 lbs.

Hydraulic disc with parking brake

Front: Spring pre-load adjustable,

Rear: Spring pre-load adjustable,

Double A-arm independent



FEATURES

BRAKING

SUSPENSION

PENSION
SHOCKS

WHEELS

ADDITIONAL FEATURES

COLORS

Hydraulic disc Hydraulic disc Double A-arm independent Double A-arm independent Front: Spring pre-load adjustable, Front: Spring pre-load adjustable, oil damped oil damped

Rear: Spring pre-load adjustable,

Digital gauge, USB port, engine

braking, 2" receiver and hitch,

Orange, Royal Blue, Nebula Black,

12 volt power outlet, horn

True Timber Camo

oil damped

12" Steel

Electronic power steering, 2500 lb. winch, digital gauge, USB port, engine braking, 2" receiver and hitch, 12 volt power outlet, horn

Orange, Fire Red, Royal Blue,

True Timber Camo

Rear: Spring pre-load adjustable,

oil damped

12" Cast aluminum alloy 12" Cast aluminum alloy Electronic power steering, 3000 lb. winch, digital gauge, USB port, engine braking, Ridevision™ LED outlet, horn

oil damped

oil damped

headlights & taillights, 2" receiver and hitch, hand guards, 12 volt power Orange, Titanium Grey, Royal Blue, True Timber Camo

12" Cast aluminum alloy Electronic power steering, 3000 lb. winch, digital gauge, USB port, engine braking, Ridevision™ LED headlights & taillights, 2" receiver and hitch, hand guards, 12 volt power outlet, horn

Hydraulic disc with parking brake

Front: Spring pre-load adjustable,

Rear: Spring pre-load adjustable,

Double A-arm independent

oil damped

oil damped

True Timber Camo

Orange, Royal Blue, Titanium Grev.

Orange, Titanium Grey, True Timber Camo

Hydraulic disc with parking brake

Front: Double A-arm independent

Rear: Trailing arm independent

Front: High pressure gas,

Rear: High pressure gas,

14" Cast aluminum alloy

Electronic power steering, 3000 lb.

winch, USB port, LED projector beam

headlight accents, digital gauge, 2"

receiver and hitch, hand guards,

12 volt power outlet, horn

rebound adjustable

rebound adjustable

EXPERIENCE MORE TOGETHER.

